

Limited liability company **«ISTA»** Pneumatic systems of Saint - Petersburg

The ISTA units for starting confetti

is a safe powerful volley without using pyrotechnics. Effectively. Safely. Without gunpowder!




www.ista-pneumatics.ru



Long-term hobby based on many years of cooperation with stunt men and producers of special effects, leading domestic film studios and theaters led to the replacement of specific pyrotechnic devices with ISTA pneumatic launchers. Later, our products were interested in large event agencies, and for private events.

LLC ISTA managed to create a number of market products based on the valves under the general name SVT[®] echnology for 25 years. The name comes from the abbreviation of Speed Valve Technology.



ISTA portable device for throwing T-shirts, confetti, toys ...



ISTA will help you distribute prizes and souvenirs to all viewers, no matter how far they are from the scene. The distribution of prizes can be turned into a separate show.

Now give out T-shirts for a distance of 70 meters is a simple task, you just need to "pull the trigger." The device for feeding T-shirts is portative (shoots from the shoulder), light, and it is also possible to do up to 10 starts without recharging.

"Explosions" in the cinema, confetti salutes, distribution of prizes ...

Make your unique idea work with our help in implementing it!

Options	Values	View
Length, mm	890	
Weight, kg	~ 3,6	
DN of the barrel, mm	80	
Working pressure in a aircylinder, MPa	20,7	
Capacity of the aircylinder, I	0,77	
Number of starts from a single charge of the aircylinder	~ 10	
The gap between starts, sec	20	
Confetti		
Weight, g	300	
Range of launching, m	~ 10*	
Time in the air, sec	10-20	
Serpentine		
Weight, g	300	
Range of launching, m	15*	
Time in the air, sec	30	
T-shirt		T-shirt gun
Range of launching, m	50*	Vendor code TG-100-SB


(*) - the casting range (height) of the decimal point is approximately and depends on many surrounding factors. It is also possible to adjust the power of the device in the direction of increase by changing the design at the request of the customer.

Portable (stadium) pneumatic confetti generator

Options	Values	View
Length, mm	890	
Высота устройства со стволом, мм	~980	
Weight, kg**	~ 53	
DN of the barrel, mm	80	
Working pressure in a aircylinder, MPa	0,6-0,8	
Capacity of the aircylinder, I	50-100**	
Number of barrels	1-28*	
Confetti and serpentine		
Weight, g	till 3 kg	
Range of launching, m	~ 15-40*	Runfetty
Time in the air, sec	20	Vendor code RT-50-10-F-SB

(**) - at the request of the customer, the height of the launch of confetti can be different, as well as the dimensions of the device by changing the receiver, possible options: 0.5L; 1L; 2L; 5L; 10l; 25L; 50l; 100 liters.

(*) - at the request of the customer, the number of barrels for launching confetti can also change.



Contacts:

195220, Saint-Petersburg,Gjatskaya street, 27A

8 (812) 294-84-48; 8-812-456-04-53

ista@ista-pneumatics.ru

R

 \bowtie



www.ista-pneumatics.ru