

ISTA' LLC

25 YEARS OF COLLABORATION WITH THE HIGHEST RESCUE AND NAVY PROFESSIONALS



Rescue equipment of ISTA LLC

www.ista-pneumatics.ru

The principe of an effective work of linethrower developed by ISTA LLC

ISTA LLC has invented and patented quick-acting pneumatic valve in Russia, USA and Germany,based on SVT[®]echnology (speed valve technology), which is more effective than other turns the energy of the compressed air into the impulse



Situations in which you can not do without linethrower





induction of communications in case of emergency situations



repair works on the high voltage line require de-energizing

ADVANTAGES OF PNEUMATIC LINETROWERS ISTA

- Linethrowers do not require special storage conditions, transport, registration
- Low operating costs
- One kit for 10 years

No gunpowder! Consumable is compressed air only. It is allows to coach your staff without limitation starts

There is no principle of one launch one rocket.

All components are reusable.

Useability

Line and projectile have a positive bouyancy. Line is easy to wash and dry after a launch. And it is ready for reuse!

There is no company exept ISTA that produce pneumatic linethrowers for occupational salvation in the countries of the Customs Union Rapid charging line projectile carried by a spesial device supplied

Compressed air bottle filling with a portable compressor.

Work safety

The line is placed inside the container and unwound when you launch it. The empty plastic container (projectile) came up to the goal

Casting line precision

Projectile residual dynamics pulls the line along the flight path, even with a strong side wind. The safety catch eliminates unauthorized launch

Recoil damping sistem provides a comfortable launch from the shoulder The ISTA's linethrowers passed all stages of type approval in cooperation with Russian Maritime Register of Shipping.

Each device has a serial number of inspections carried out by Russian Maritime Register of Shipping.



Pneumatic linethrowers OWL - 2 and ISTA-150

OWL-2 - line throwing distance is 100m



APPLICATION: Carring out communications through the rivers and canals, from the building to building, through the high-voltage lines, rescue operations on the water, on the ice...

The kit includes:

- pneumatic launcher
- reduction valve and pressure gauge
- 2 projectiles (100 и 150m)
- connector for charging the air bottle
- pneumatic line packer
- carrying caseoperation manual

ISTA-150 - line throwing distance is 150m



Characteristics	Owl-2	ISTA-150
Lenght, mm	890	1125
Weight, kG	3,6	4,1
Line throwing distance, m	100	150
Breaking streangth, kN	2,2	
Number of shots before refilling	15	5
Operating pressure in the air bottle, MPa	20,7	
Capacity of the air bottle, L	0,77	

Pneumatic launcher Orderly-2



APPLICATUION: throwing ISTA's type syringes for animal remote vaccination.

Lenght, mm	815
Weight, kG	2,7
Syringe throwing distance, m	30
Syringe volume, ml	till 6,5
Flow diameter of the barrel, mm	21
Operating pressure in the air bottle, MPa	20,7
Number of shots before refilling	>50

Pneumatic linethrowers ISTA-240



Line thrower ISTA-240 is the only pneumatic launcher SOLAS approved on the market allowing for comfortable launch from the shoulder

Register of Shipping certificate 13.03460.314

Each kit has an individual RS Certificate 6.5.30

0	8 WARRING
	M 10 Anti
Anna an ann an Anna an Ann	
-	0

• Each air bottle is marked with the date of the nearest calibration (Usually from 5 years after manufacturing)

Each "Dyneema" fabric line consignment has the RS Certificate 6.5.30

Lenght, mm	1185
Weight, kG	7,6
Line throwing distance, m	240
Breaking streangth, kN	2,2
Number of shots before refilling	4
Operating pressure in the air bottle, MPa	20,7
Capacity of the air bottle, L	0,77

The kit includes:

pneumatic launcher

- reduction valve and pressure gauge
- 4 projectiles (260m)
- connector for charging the air bottle
- pneumatic line packer
- carrying case
- operation manual
- RS certificate





Contacts:

195220, Saint-Petersburg,Gjatskaya street, 27A

8 (812) 294-84-48; 8-812-456-04-53

ista@ista-pneumatics.ru

 \square



www.ista-pneumatics.ru